

REMARKS

Applicant respectfully requests further examination and reconsideration in view of the amendments above and the remarks set forth below. Claims 7-22 and 24-27 were previously pending in this application. In the Office Action, Claims 7-20 and 24-27 are rejected and Claims 21 and 22 are objected to. By the above amendment, Claims 7, 11, 17, and 27 are amended. Accordingly, Claims 7-22 and 24-27 are currently pending.

Claim Rejections under 35 U.S.C. § 103

Within the Office Action, Claims 7-17, 20, and 24-27 stand rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 5,577,115 issued to Deutsch et al. (hereinafter referred to as "Deutsch") in view of U.S. Patent No. 5,400,397 issued to Ryu. Within the Office Action, Claims 18 and 19 stand rejected under 35 U.S.C. 103(a) as being unpatentable over Deutsch in view of Ryu and further in view of U.S. Patent No. 5,555,300 issued to Gutzmer. The Applicant respectfully traverses these rejections.

The present invention interfaces a telephony appliance to a telephone switching system such that voice and overhead signals are sent between the two. In order to provide communications that can be understood by the telephone switching system, the interface device learns the characteristics of the telephone switching device during a pre-configuration process. These characteristics are compared to a database of communications protocols in order to find a match to a communications protocol specific to the telephone switching system. In this way, the matched communications protocol is a device-specific protocol, that is, specific to the telephone switching system.

The database stores multiple sets of manufacturer specific communications protocols. Each communications protocol includes a plurality of sets of conversion parameters appropriate for telephone switching systems produced by various different manufactures. Each set of parameters includes information relating to an appropriate format and synchronization of the

digital samples, decompression and decoding of the digital samples, appropriate compression and encoding of the analog signals into digital signals, generation of commands to the telephone switching system (PBX 102) and recognition of commands from the telephone switching system.

During the pre-configuration process, once the communications protocol of the telephone switching system is determined, this communications protocol is loaded into an appropriate control circuit, such as the analog line interface 210 or the digital line transceiver 212. Once loaded with the appropriate communications protocol, the control circuit is capable of properly formatting the voice signals and overhead control signals sent to the telephone switching system, and the control circuit is capable of interpreting encoded voice signals and/or overhead control signals from telephone switching system. In this manner, the interface device of the present invention is dynamically programmed according to the determined communications protocol of the telephone switching system.

In contrast, Deutsch teaches an interface adapter 400 that merely re-configures a routing path(either path 44, 45, or 50) according to measured power signals (lines 52-1 to 52-8) received from an external network interface 14. An interface recognition switch 40 compares signals on lines 52-1 through 52-8 to known signals for a T interface circuit 47, a U interface circuit 46 and an analog circuit 29. This comparison determines the route for signals carried on lines 52-1 to 52-8 (Deutsch, col. 5, lines 2-6). In particular, a switch matrix 43 within the interface recognition switch 40 is configured to route the signals via path 44, 45, or 50 (Deutsch, col. 5, lines 62-64; col. 6, lines 11-14; and col. 6, lines 35-38). The routing is determined by comparing measured power signals on each of the lines 52-1 to 52-8 and comparing those results to known characteristics by a microprocessor 41. These known characteristics are static parameters used by the microprocessor 41. However, the microprocessor 41 is statically programmed to rout the signals according to one of the three available routing paths 44, 45, or 50. There is no hint, teaching, or suggestion within Deutsch that indicates the microprocessor 41 can be dynamically programmed. More specifically, there is no hint, teaching, or suggestion within Deutsch that indicates the microprocessor 41 can be dynamically programmed according to a determined

protocol of the telephone network 15.

Ryu is cited for teaching an automatic branch exchange 100 that couples to a two-wire digital key telephone set, a four-wire analog key telephone set, and a standard two-wire telephone set. Ryu is not cited for identifying a communications protocol of a telephone switching system. Accordingly, neither Deutsch, Ryu, nor their combination teach dynamically programming a control circuit according to an identified communications protocol of a telephone switching system.

The amended independent Claim 7 is directed to an interface apparatus for interfacing a telephony appliance to a telephone switching system. The interface apparatus comprises a signal path through the apparatus for communicating signals between the telephony appliance and the telephone switching system. The interface apparatus also comprises means for identifying a first communication protocol utilized by the telephony appliance from among a plurality of communication protocols and for configuring the signal path according to the protocol, wherein configuring the signal path includes dynamically programming a first control circuit within the signal path according to the identified first communication protocol. The interface apparatus further comprises means for identifying a second communication protocol utilized by the telephone switching system from among the plurality of communication protocols and for configuring the signal path according to the protocol, wherein the first communication protocol and the second communication protocol must first be identified before the telephony appliance and the telephone switching system begin communicating with one another. As mentioned above, neither Deutsch, Ryu, nor their combination teach dynamically programming a control circuit according to an identified communications protocol of a telephone switching system. For at least these reasons, the amended independent Claim 7 is allowable over the teachings of Deutsch, Ryu and their combination.

Claims 8-10 depend upon the amended independent Claim 7. As discussed above, the amended independent Claim 7 is allowable over the teachings of Deutsch, Ryu and their combination. Accordingly, Claims 8-10 are allowable as being dependent upon an allowable

base claim, and are now in condition for allowance.

The amended independent Claim 11 is directed to a method of interfacing a telephony appliance to a telephone switching system. The method comprises the step of providing a signal path for communicating signals between the telephony appliance and the telephone switching system. The method also comprises the step of identifying a first communication protocol utilized by the telephony appliance from among a plurality of communication protocols. The method also comprises the step of identifying a second communication protocol utilized by the telephone switching system from among the plurality of communication protocols, wherein the first communication protocol and the second communication protocol must first be identified before the telephony appliance and the telephone switching system begin communicating with one another. The method further comprises the step of configuring the signal path according to the protocol utilized by the telephony appliance and according to the protocol utilized by the telephone switching system, wherein configuring the signal path includes dynamically programming a first control circuit within the signal path according to the identified first communication protocol. As mentioned above, neither Deutsch, Ryu, nor their combination teach dynamically programming a control circuit according to an identified communications protocol of a telephone switching system. For at least these reasons, the amended independent Claim 11 is allowable over the teachings of Deutsch, Ryu and their combination.

Claims 12-16 depend upon the amended independent Claim 11. As discussed above, the amended independent Claim 11 is allowable over the teachings of Deutsch, Ryu and their combination. Accordingly, Claims 12-16 are allowable as being dependent upon an allowable base claim, and are now in condition for allowance.

The amended independent Claim 17 is directed to a method of interfacing a telephony appliance to a telephone switching system. The method comprises the step of determining whether the telephone switching system communicates voice signals as digital samples or as analog signals. The method also comprises the step of determining whether the telephony appliance communicates voice signals as digital samples or as analog signals. The method also

comprises activating a first signal path when the telephone system communicates voice signals as digital samples, the first signal path for communicating the voice signals between the telephony appliance and the telephone switching system wherein the first signal path includes a converter for converting the digital samples into an analog signal. The method also comprises the step of activating a second signal path when the telephone system communicates voice signals in analog format, the second signal path for communicating the voice signals between the telephony appliance and the telephone switching system wherein the second signal path includes analog signal processing circuits. The method further comprises the steps of identifying a first communication protocol utilized by the telephone switching system, wherein the identified first communication protocol is used to dynamically program a first control circuit within the first signal path or a second control circuit within the second signal path; and identifying a second communication protocol utilized by the telephony appliance, wherein the first communication protocol and the second communication protocol must first be identified before the telephony appliance and the telephone switching system begin communicating with one another. As mentioned above, neither Deutsch, Ryu, nor their combination teach dynamically programming a control circuit according to an identified communications protocol of a telephone switching system. For at least these reasons, the amended independent Claim 17 is allowable over the teachings of Deutsch, Ryu and their combination.

Claims 18-22 and 24-26 depend upon the amended independent Claim 17. As discussed above, the amended independent Claim 17 is allowable over the teachings of Deutsch, Ryu and their combination. Accordingly, Claims 18-22 and 24-26 are allowable as being dependent upon an allowable base claim, and are now in condition for allowance.


The amended independent Claim 27 is directed to a method of interfacing a telephony appliance to a telephone switching system. The method comprises the step of determining a first communication protocol of the telephone switching system. The method also comprises the step of determining a second communication protocol of the telephony appliance, wherein the first communication protocol and the second communication protocol must first be identified before

the telephony appliance and the telephone switching system begin communicating with one another. The method also comprises the step of dynamically programming a control circuit according to the determined first communication protocol. The method further comprises the step of translating a communication according to the first communication protocol of the telephone switching system and further according to the second communication protocol of the telephony appliance. As mentioned above, neither Deutsch, Ryu, nor their combination teach dynamically programming a control circuit according to an identified communications protocol of a telephone switching system. For at least these reasons, the amended independent Claim 27 is allowable over the teachings of Deutsch, Ryu and their combination.

For the reasons given above, the Applicant respectfully submits that Claims 7-22 and 24-27 are now in a condition for allowance, and allowance at an early date would be appreciated. Should the Examiner have any questions or comments, he is encouraged to call the undersigned at (408) 530-9700 to discuss the same so that any outstanding issues can be expeditiously resolved.

Respectfully submitted,
HAVERSTOCK & OWENS LLP

Dated: 2-28-05

By: 

Thomas B. Haverstock

Reg. No.: 32,571

Attorneys for Applicant

CERTIFICATE OF MAILING (37 CFR 1.61(a))

I hereby certify that this paper (along with any referred to as being attached or enclosed) is being deposited with the U.S. Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to the: Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450

-13-

HAVERSTOCK & OWENS LLP
Date: 2/28/05 By: 